








# HADLEY® HEIGHT CONTROL VALVES

PART NO.	PICTURE	DESCRIPTION
<b>HADLEY</b>		
<b>450BED</b>		<p>Delayed Response Valve            Airline Ports orientated downwards            3/8" airline ports            Supply ports: 1/8 NPF            Also replaces: Link 1301-0020, 1301-0010, 1301-0011            Suits Mack OE: 20QE3297M  <b>VALVE ONLY</b></p>
<b>450BEU</b>		<p>Delayed Response Valve            Airline Ports orientated upwards            3/8" airline ports            Supply ports: 1/8 NPF            Also replaces Link 1301-0040, 1301-0042  <b>VALVE ONLY</b></p>
<b>450CE</b>		<p>Delayed Response Valve            3/8" airline ports            Supply ports: 1/8 NPF            Universal replacement valve            Includes multiple application brackets</p>
<b>450CEK</b>		<p>Delayed Response Valve            3/8" airline ports            Supply ports: 1/8 NPF            Universal replacement valve            Includes multiple application brackets &amp;            HPB450-3 link kit</p>
<b>500CK</b>		<p>Instant Response Valve            Variable air flow rate / high air volume            3/8" airline ports            Inbuilt optionally activated dump facility            Includes brackets &amp; HPB450-3 link kit</p>



HCV's

# HADLEY® HEIGHT CONTROL VALVES

PART NO.	PICTURE	DESCRIPTION
<b>HADLEY</b>		
<b>600</b>		Cab and R.V Compact Height Control Valve Instant Response Valve 3/8" ports Includes 2 optional length actuating arms and mounting brackets Includes linkage kit
<b>2K-500</b>		Instant Response Valve Variable air flow rate / high air volume 3/8" airline ports Supply ports: 1/4 NPTF Pilot port: 1/8 NPTF 3/8" air lines Inbuilt optionally activated dump facility <b>VALVE ONLY</b> <b>NOTE: For 2K-500C Valve including linkage kit refer to part no. 500CK in this catalogue</b>
<b>2K-500C</b>		Instant Response Valve Variable air flow rate / high air volume 3/8" airline ports Supply ports: 1/4 NPTF Pilot port: 1/8 NPTF 3/8" air lines In built optionally activated dump facility Includes 2 arms and mounting brackets
<b>2K-500DC</b>		Instant Response Valve Variable air flow rate / high air volume Dual port feed to Air Springs 3/8" Push to connect ports Includes 2 arms and mounting brackets
<b>HPB450-3</b>		Standard Linkage Kit For Hadley Valves Length of rod 500mm



HCV's

# HADLEY® HEIGHT CONTROL VALVES



PART NO.	PICTURE	DESCRIPTION
<b>HADLEY</b>		
<b>H01501UDS</b> 3/8" Push to connect ports  Also see 6314BFAB17 for high flow application		Instant Response Valve Variable air flow rate with Dump Facility 3/8" Push to connect (PTC) air supply ports 1/4" Push to connect dump port 150psi max operating pressure <b>VALVE ONLY</b>
<b>H01501UD</b> 3/8" Push to connect ports		Instant Response Valve Variable air flow rate with Dump Facility 3/8" Push to connect (PTC) air supply ports 1/4" Push to connect dump port 150psi max operating pressure <b>VALVE PLUS:</b> 1/4" and 3/8" elbows and 1/4" plug 4 levers Mounting bolts Instruction sheet
<b>H01501PUD</b> 1/4" Push to connect ports		Instant Response Valve Variable air flow rate with Dump Facility 1/4" Push to connect (PTC) air supply & dump ports 150psi max operating pressure <b>VALVE PLUS:</b> 1/4" elbow and 1/4" port plug 4 levers Mounting bolts Instruction sheet
<b>H01601PUD</b> 1/4" Push to connect ports		Cab & R.V Compact Height Control Valve WITH DUMP FACILITY Instant Response Valve 1/4" Push to connect (PTC) air supply ports 1/4" Push to connect (PTC) Dump Facility <b>VALVE PLUS:</b> 1/4" elbow and 1/4" port plug 4 levers Mounting bolts Instruction sheet
<b>M1088</b> 3/8" Push to connect ports		Cross Flow Valve Instant Response Valve Variable air flow rate with Dump Facility 3/8" Push to connect (PTC) air supply ports 1/4" Push to connect dump port 150psi max operating pressure <b>VALVE ONLY</b>






# HADLEY® REPLACEMENT VALVES



**HADLEY HO1501UD REPLACES BARKSDALE VALVE**



**HADLEY HO1500PUD REPLACES HALDEX VALVE**



**HADLEY HO1500UD REPLACES BARKSDALE VALVE**





# HADLEY® SmartValve™

Until now, electronic height control valves were an expensive option available on new European trucks. Hadley's all new Smart Valve has changed the rules of the game, where now an electronic valve can be fitted as an aftermarket upgrade to your truck.

With multiple lever lengths and orientations, along with several valve mounting options in a compact design, the Hadley Smart Valve will save you time in and out of the cab, reduced strain on your back and lessen the damage to your valuable trailer equipment.

**THE HADLEY SMART VALVE IS THE SOLUTION TO YOUR HEIGHT CONTROL VALVE PROBLEMS.**



**TRAILER  
COUPLING  
MADE FASTER,  
EASIER AND SAFER**

## ELECTRONIC HEIGHT CONTROL SYSTEM

### LESS TIME WAITING FOR AIR PRESSURE TO BUILD UP

With fast efficient use of air and no dead band inaccuracies the Smart Valve will fill the airbags faster than a standard mechanical valve. Raise above ride height function – couple the truck and trailer by simply raising the truck over ride height with an in cab switch, lifting the trailer and load.

### REDUCED LANDING LEG DAMAGE

Coupling to an off centre trailer, the king pin and trailer have to shift in order to align with the 5th wheel, causing the landing gear to move with the weight of the trailer bearing down on it. With the Smart Valve simply raise above ride height enabling the landing gear to move freely when backing up and centering.

### TAKE THE STRAIN OFF YOUR BACK

With the weight of the trailer fully resting on the landing gear and suspension, the effort used in winding up the landing gear can result in back strain and injuries. When the Smart Valve is installed on the truck, lift above ride height and feel the difference.

**EXCLUSIVE TO  
POWERDOWN**



HCV's

# HADLEY® SMART VALVE: Electronic Height Control System

PART NUMBER	PICTURE	DESCRIPTION
<b>FREIGHTLINER</b>		
<b>H00700R1</b> (VALVE, WIRING HARNESS & HARDWARE)		<ul style="list-style-type: none"> <li>Electronic height control valve</li> <li>Variable air flow rate with Dump Facility</li> <li>3/8" Push to connect (PTC) air supply ports</li> <li><b>• VALVE ONLY</b></li> <li><b>MUST BE FITTED BY A QUALIFIED TECHNICIAN</b></li> </ul>
<b>H00700R1PK</b> (VALVE, WIRING HARNESS, HARDWARE & SOFTWARE PROGRAMING KIT)		<ul style="list-style-type: none"> <li>Instant Response Valve</li> <li>Variable air flow rate with Dump Facility</li> <li>3/8" Push to connect (PTC) air supply ports</li> <li><b>• VALVE PLUS SOFTWARE PROGRAMMING KIT</b></li> <li><b>MUST BE FITTED BY A QUALIFIED TECHNICIAN</b></li> </ul>
<b>KENWORTH (PER SINGLE VALVE APPLICATION)</b>		
<b>H00700R2</b> (VALVE, WIRING HARNESS & HARDWARE)		<ul style="list-style-type: none"> <li>Instant Response Valve</li> <li>Variable air flow rate with Dump Facility</li> <li>3/8" Push to connect (PTC) air supply ports</li> <li><b>• VALVE ONLY</b></li> <li><b>MUST BE FITTED BY A QUALIFIED TECHNICIAN</b></li> </ul>
<b>H00700R2PK</b> (VALVE, WIRING HARNESS, HARDWARE & SOFTWARE PROGRAMING KIT)		<ul style="list-style-type: none"> <li>Instant Response Valve</li> <li>Variable air flow rate with Dump Facility</li> <li>3/8" Push to connect (PTC) air supply ports</li> <li><b>• VALVE PLUS SOFTWARE PROGRAMMING KIT</b></li> <li><b>MUST BE FITTED BY A QUALIFIED TECHNICIAN</b></li> </ul>
<b>CAT / NAVISTAR</b>		
<b>H00700R3</b> (VALVE, WIRING HARNESS & HARDWARE)		<ul style="list-style-type: none"> <li>Instant Response Valve</li> <li>Variable air flow rate with Dump Facility</li> <li>3/8" Push to connect (PTC) air supply ports</li> <li><b>• VALVE ONLY</b></li> <li><b>MUST BE FITTED BY A QUALIFIED TECHNICIAN</b></li> </ul>
<b>H00700R3PK</b> (VALVE, WIRING HARNESS, HARDWARE & SOFTWARE PROGRAMING KIT)		<ul style="list-style-type: none"> <li>Instant Response Valve</li> <li>Variable air flow rate with Dump Facility</li> <li>3/8" Push to connect (PTC) air supply ports</li> <li><b>• VALVE PLUS SOFTWARE PROGRAMMING KIT</b></li> <li><b>MUST BE FITTED BY A QUALIFIED TECHNICIAN</b></li> </ul>
<b>MACK</b>		
<b>H00700R6</b> (VALVE, WIRING HARNESS & HARDWARE)		<ul style="list-style-type: none"> <li>Instant Response Valve</li> <li>Variable air flow rate with Dump Facility</li> <li>3/8" Push to connect (PTC) air supply ports</li> <li><b>• VALVE ONLY</b></li> <li><b>MUST BE FITTED BY A QUALIFIED TECHNICIAN</b></li> </ul>
<b>H00700R6PK</b> (VALVE, WIRING HARNESS, HARDWARE & SOFTWARE PROGRAMING KIT)		<ul style="list-style-type: none"> <li>Instant Response Valve</li> <li>Variable air flow rate with Dump Facility</li> <li>3/8" Push to connect (PTC) air supply ports</li> <li><b>• VALVE PLUS SOFTWARE PROGRAMMING KIT</b></li> <li><b>MUST BE FITTED BY A QUALIFIED TECHNICIAN</b></li> </ul>
<b>SOFTWARE KIT (ONE REQUIRED PER FLEET)</b>		
<b>H00700PK</b>		<ul style="list-style-type: none"> <li><b>• SOFTWARE PROGRAMING KIT</b></li> <li><b>MUST BE FITTED BY A QUALIFIED TECHNICIAN</b></li> </ul>